10/525 1 MOZ B) 48

BT01 Rec'd PCT/PTC 2 2 FEB 2005

In the Claims:

Please add the following paragraph to page 15, line 2:

What is claimed is:

The status of the claims pending in the present application in view of the present preliminary amendment is as follows:

Claims 1-22 (canceled).

- 23. (new): A method of making ice cream, comprising blending in the presence of at least one emulsifier an aqueous ice cream precursor phase with precrystallised particles of edible fat which each contain a multiplicity of individual crystals so as to form a dispersion, and gasifying and freezing the dispersion so as to form an ice cream, in which the particles of edible fat are precrystallised cryogenically.
- 24. (new): The method according to claim 23, wherein the cryogenic precrystallisation is performed by forming the edible fat into fine particles in molten state and contacting the fine particles with a cryogen.
- 25. (new): The method according to claim 24, wherein a spray of liquid cryogen is directed at the fine particles of edible fat in molten state.
- 26. (new): The method according to claim 24, wherein the cryogen is liquid nitrogen.
- 27. (new): The method according to claim 23, wherein the precrystallised particles of edible fat take the form of a globule comprising a mass of crystals of fat with entrapped pockets of oil.

- 28. (new): The method according to claim 23, wherein the particles of edible fat in the dispersion have a size less than 30μm.
- 29. (new): The method according to claim 28, wherein at least some of the precrystallised particles of edible fat have a size less than 10μm.
- 30. (new): The method according to claim 28, wherein at least some of the precrystallised particles of edible fat have a size of 5 µm or less.
- 31. (new): The method according to claim 23, wherein the edible fat is pasteurised before being precrystallised.
- 32. (new): The method according to claim 23, wherein the aqueous ice cream precursor phase is pasteurised before being blended with the precrystallised particles of edible fat.
- 33. (new): The method according to the claim 23, wherein an emulsifier is introduced into particles of edible fat before said particles are precrystallised.
- 34. (new): The method according to claim 33, wherein the emulsifier is a lipophilic emulsifier.
- 35. (new): The method according to claim 34, wherein the lipophilic emulsifier is a saturated monoglyceride.
- 36. (new): The method according to claim 34, wherein the saturated monoglyceride is a glycerol monostearate.

- 37. (new): The method according to claim 23, wherein the edible fat is selected from the group consisting of milk fat, anhydrous milk fat, at least one milk fat fraction, a hydrogenated vegetable oil, a hard tropical fat, and a hydrogenated tropical fat.
- 38. (new): The method according to claim 23, wherein the aqueous ice cream precursor phase comprises a highly surface active, water soluble emulsifier.
- 39. (new): The method according to claim 23, wherein the aqueous ice cream precursor phase comprises non-fat dry milk solids and sugar.
- 40. (new): The method according to claim 23, wherein the dispersion is gasified and frozen without being subjected to homogenisation or ageing.
- 41. (new): The method according to claim 40, wherein the dispersion is provided at below ambient temperature for freezing.
- 42. (new): A package, comprising cryogenically precrystallised particles of edible fat.
- 43. (new): The package according to claim 42, wherein the package comprises instructions for use of package contents to prepare ice cream.